# International Journal of

# **ELECTRONICS**

# Theoretical and Experimental

Editor: P. A. LINDSAY, D.Sc.(Eng.), Ph.D., F.C.G.I., C.Eng., F.I.E.E., F.Inst.P.

Associate Editors: PROFESSOR V. L. GRANATSTEIN, B.S., M.S., Ph.D. (U.S.A.)

PROFESSOR H. L. HARTNAGEL, D.Eng., Ph.D., Dipl.-Ing. (Continental Europe)

PROFESSOR SHOICHI ONO, B.E., M.S., D.Eng. (Japan)


Consultant Editor: Professor Sir NEVILL MOTT, M.A., D.Sc., F.Inst., F.R.S.

#### Editorial Board

France	Professor P. AIGRAIN
U.K	Dr. J. E. ALLEN
U.K	Professor A. H. W. BECK
West Germany -	DrIng. J. BRETTING
U.S.A	Professor M. CHODOROW
U.K	Professor K. G. EMELEUS
Switzerland	Professor G. EPPRECHT
France	Dr. M. GOLDMAN
West Germany -	Professor Dr.rer.nat. W. HARTH
U.K	Professor C. A. HOGARTH
U.S.A	Dr. H. KOGELNIK
U.S.A	Dr. J. M. LAFFERTY
U.K	T.P. McLEAN
U.K	C. A. MAY
U.K	D. H. ROBERTS
U.S.A	Professor L. D. SMULLIN
U.K	Dr. D. T. SWIFT-HOOK
U.K	P. E. TRIER
Japan	Dr. M. UENOHARA
Sweden	Professor P. WEISSGLAS
U.S.A	Professor J. R. WHINNERY

### Volume LVII

July 1984 to December 1984



#### **Subscription Information**

Published monthly

Annual subscription 1985 £192 DM 864 US \$530

ISSN 0020-7217

Dollar rates apply to USA, Canada and Mexico. Deutschmark rates to FR Germany. Sterling rates apply to the UK and all other areas.

All subscriptions are payable in advance and all rates include postage. Journals are sent by air to the USA, Canada and Mexico, India and Australasia. Subscriptions are entered on an annual basis, i.e. from January to December. Payment may be made by sterling cheque, dollar cheque, international money order or National Giro, or by credit card (AMEX, VISA, Mastercard/Access).

Orders originating in the following territories should be sent direct to the local distributors:

USA, Canada and Mexico Japan India UK and all other territories Taylor & Francis Inc, 242 Cherry Street, Philadelphia, Pennsylvania 19106-1906. Kinokuniya Company Ltd, Journal Department, PO Box 55 Chitose, Tokyo 156, Japan. Universal Subscription Agency Pvt. Ltd, 117/H-1/294B Model Town, Pandu Nagar, Kanpur 208 025. Taylor & Francis Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR.

Air freight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003. Second class postage paid at Jamaica, New York 11431. US Postmaster: Send address changes to *International Journal of Electronics*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003.

Published by Taylor & Francis Ltd, 4 John Street, London WC1N 2ET, UK. Printed by Taylor & Francis (Printers) Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR, UK.

#### Copyright @ 1984 Taylor & Francis Ltd

All rights reserved. Authors are themselves responsible for obtaining permission to reproduce copyright material from other sources and are required to sign a form for agreement of the transfer of copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, electrostatic, magnetic, mechanical, photocopying, recording or otherwise, without prior permission in writing from the copyright holder. 0020-7217/84 \$400 © 1984 Taylor & Francis Ltd.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Taylor & Francis Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee is paid directly to CCC, 21 Congress Street, Salem, Massachusetts 01970, USA. (For fee per article see copyright code above.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising, for creating new collective works, or for resale. Fees for past articles are the same as those shown for current articles.

# CONTENTS OF VOL. LVII (Nos. 1-6)

### NUMBER 1—JULY

MIM devices showing VCNR. A. K. RAY and C. A. HOGARTH	1
A direct algorithm for synthesis of stable feedback shift registers. Y. Z. ZHANG	79
The conversion of residue numbers to binary coded decimal numbers using a counter method. M. Q. Hasan and R. C. Debnath	85
A simple single element controlled triangular/square waveform generator. A. A. Khan	91
CADLEM: a simulation program for non-linear electronic networks.  J. P. Martens, G. De Mey and M. C. Vanwormhoudt	97
Characteristics and an application of a four quadrant time-division multiplier. C. Velayudhan and J. H. Bundell	111
Space charge fields in photorefractive materials. L. SOLYMAR, T. WILSON and J. M. HEATON	125
Single transverse-mode conditions for InGaAsP/InP ( $1.3 \mu m$ ) buried crescent lasers with InGaAsP lateral confining regions. T. Makino	129
Conditions for a gaussian approximation of an optical receiver output.  T. Makino and Y. Miyoshi	135
Novel method of sinusoidal frequency division. K. A. Krishna Murthy and R. M. Mathur.	143
On the design of switched-capacitor filters using cascade sections. R. C. SARASWAT and S. K. SAHA	147
Some new concepts of heat-flow spreading in GaAs FET structures. J. Dell, T. S. Kalkur, Z. Meglicki, A. G. Nassibian and H. L. Hartnagel	155
Settling time of operational amplifiers with FET input transistors operating in strong inversion. M. T. ABUELMA'ATTI	161
DC chopper with coupled-inductor commutation. M. Mangal and G. DE	165
Digital power meter using a non-linear ADC. B. A. HAFETH and M. A. H. ABDUL-KARIM	179
Research note	
New constant-current controlled astable multivibrator for generating sawtooth and square waves. S. CHANG	187
Errata	189
Announcements	193

## NUMBER 2—AUGUST

A simple high-gain CMOS voltage comparator circuit. D. A. Freitas and K. W. Current	195
Implementation of hybrid PCM encoding scheme. M. E. M. Nasr, C. V. Chakravarthy and A. P. Shivaprasad	199
Fast optimum design of IIR digital filters with finite precision coefficients. S. J. VAROUFAKIS and A. N. VENETSANOPOULOS	207
A simple bridge RC multivibrator. I. M. FILANOVSKY and V. A. PISKAREV	217
Time, temperature and pressure dependence of circulating and emission currents in sandwich structures of Cu–SiO/GeO <sub>2</sub> –Cu. F. A. S. AL-RAMADHAN, C. A. HOGARTH and K. I. ARSHAK	227
A non-linear model for microwave GaAs FET amplifiers. M. T. ABUELMA'ATTI	239
Harmonic and intermodulation performance of current-feedback bipolar-transistor differential amplifiers. M. T. ABUELMA'ATTI	247
A new firing scheme for converter control. K. A. Krishna Murthy and R. M. Mathur	253
Analysis of time-varying and non-linear networks using single-term Walsh series. K. R. Palanisamy and V. P. Arunachalam	259
An electronic three-phase active and reactive power transducer.  C. Velayudhan and J. H. Bundell	267
Real-time programmable complex-signal filter based on ultrasonic dispersive delay lines. F. K. Lam and C. K. Leung	277
Research notes  A simple linear trigger circuit for thyristors working under variable-frequency anode supply. S. E. HAQUE, A. A. KHAN and M. S. SMIAI	289
Dielectric-loaded rectangular waveguide applicator. A. Kumar	299
Announcement	305
NUMBER 3—SEPTEMBER	
Denary logic arithmetic processor. H. H. Ho and T. O. Tsun	307
A possible role of chemical reduction in the memory switching process of bismuth oxide glasses. C. A. HOGARTH, A. B. GLOT and R. HARANI	333
Parameters of a non-overlapped hyperabrupt structure. R. P. Gupta, M. K. Sharma and W. S. Khokle	339

Preparation and properties of solution-grown p-n PbSe-Si heterojunctions. Y. S. Sarma, H. N. Acharya and N. K. Misra	351
Quantization for minimum intermodulation distortion. T. SASAKI and H. HATAOKA	361
Yield of MOS capacitors in ambient HCl. V. P. Sundarsingh, U. R. Kasbekar and R. Sekar.	371
Charge fluctuations in SiO <sub>2</sub> -Si interface. R. S. NAKHMANSON and S. B. SEVASTIANOV	379
Scattering from conducting cylinders embedded in a lossy medium. J. D. KANELLOPOULOS and N. E. BURIS	391
The region of overlapping commutation of thyristors in a series inverter circuit. M. HARTMAN.	403
Loop gain measurement in feedback amplifiers. S. Rosenstark	415
Multiplier of delta-sigma sequences of the same clock frequency.  D. LAGOYANNIS and E. C. GEORGOUDIS	423
Optimal barrier height for Schottky diode rectifiers. S. Asнок	429
An RC switching network with fixed components. W. Conley	433
Research note  A digital power-factor meter design. M. S. M. AL-ANI and M. A. H.  ABDUL-KARIM	439
Announcement	445
NUMBER 4—OCTOBER	
The effect of source feedback on GaAs MESFET circuit models. C. M. KROWNE	447
Quantitative feedback synthesis for non-linear switched-mode uncertain regulators. I. HOROWITZ, M. SIDI and R. ERICKSON	461
An extension of a conservation law for the electromagnetic field. N. Anderson and A. M. Arthurs	477
New and efficient data compression algorithm. P. IPARRAGUIRRE	479
Stability factors of Darlington transistors. F. D. Morgan and L. N. S. Kunar.	491
Programmable temporal transformation via a single dispersive network. F. K. Lam and C. K. Leung	499
Non-ohmic properties of structures based on oxides containing bismuth. A. B. GLOT and C. A. HOGARTH	511

Instabilities of thermionic emission in oxide cathodes. EQ. ZHANG	519
Submicron electron transport in GaAs at 77 K. B. R. NAG and M. DEB ROY	527
Study of the origin of double peaks in the conductance-voltage plots of Al-SiO <sub>2</sub> -Si capacitors. V. P. Sundarsingh and R. P. Das	535
Sensitivity of second-order two-pair digital filters. J. I. ACHA and A. AYERBE	543
A dual slope based digital frequency meter. M. A. S. Jaafar, B. S. Alwash, M. A. Al-Omran, K. M. Ibrahim and M. A. H. Abdul-Karim.	557
New high-frequency voltage-controlled voltage sources. T. S. RATHORE and K. R. PAI.	563
Indirect synthesis of stable binary sequences. YZ. ZHANG	569
Research notes On the address inputs of a multiplexer. K. Malaiyarasu and S. K. Srivatsa	577
Non-linear model for single-channel MOSFET integrated circuit differential amplifier. M. T. ABUELMA'ATTI	587
A non-linear analogue-to-digital converter using a non-linear function of time. K. M. IBRAHIM and M. A. H. ABDUL-KARIM	591
Letter to the Editor Some remarks on 'Four quadrant analogue divider employing 555 timer device'. T. S. RATHORE	595
Erratum	596
Books received	597
Announcements	599
NUMBER 5—NOVEMBER	
Modelling of integrated optical anisotropic semiconductor waveguide.  A. A. ADAS and R. E. HAYES	601
Some thoughts about the radiation of antennas excited by non-sinusoidal currents. R. Gómez Martin, J. A. Morente and B. G. Olmedo	617
Widening of subthreshold conduction region of MOS devices at very high temperatures. T. Y. Chan	627
Voice pitch extraction using a real-time digital filter bank. I. BOYD and R. LINGGARD	633
Interface recombination velocity of the minority carriers in optically excited n-type GaAs. S. N. BISWAS	641
Leakage effects in <i>n</i> -GaAs MESFET with <i>n</i> -GaAs buffer layer. YC. Wang and M. Bahrami	647

GaAs MESFET with lateral non-uniform doping. YC. Wang and M. Bahrami	665
A CdS-Pr <sub>6</sub> O <sub>11</sub> thin film transistor. P. K. Deka and B. Baishya	677
Synthesis of voltage transfer matrix using universal building blocks.  S. Osowski	681
A digital circuit for instant controlled switching. M. S. Beg, A. Ahmad and M. S. J. Asghar	693
An automatic air pollution data collection and telemetering station.  C. C. Lefas	697
Economical temperature-independent logarithmic circuit. A. A. Khan	709
An integrable multiple output translinear current converter. A. Fabre	713
Modified delta-adder and delta-multiplier for multiplexing. V. ANASTASSOPOULOS and T. DELIYANNIS	719
Dependence of ohmic contact quality on Au–Ge alloy thickness for n-type GaAs. T. S. Kalkur, J. Dell and G. Nassibian	729
A noise resistant phasemeter with synchronous detection. J. SIUZDAK	737
Digital mass flow rate meter using square-root analogue to digital converter. B. A. HAFETH and M. A. H. ABDUL-KARIM	745
Digital radiation meter using non-linear analogue to digital conversion.  B. A. HAFETH and M. A. H. ABDUL-KARIM	755
Bessel digital filters which are all-pole in the $z^{-1}$ domain. A. G. BOLTON	761
Research notes  A frequency invariant phase-difference and power-factor meter.  M. S. Beg and M. S. J. Asghar	767
Non-linear model for a class of negative-resistance devices. M. T. ABUELMA'ATTI	771
A novel all-capacitor MOS-compatible analogue multiplier. J. L. HUERTAS, A. RODRIGUEZ-VAZQUEZ and A. RUEDA	775
Announcements	781
The state of the s	
NUMBER 6—DECEMBER	<b>#0</b> .6
Editorial Note. M. Q. Tran, Guest Editor	786
High average power and high peak power gyrotrons: present capabilities and future prospects. V. L. Granatstein	787
Gyrotron development in the framework of the European Fusion Programme. J. P. RAGER	801
Gyrotron development at Thomson-CSF. A. Bensimhon, G. Faillon, P. Garin and G. Mourier	805

A 60 GHz, 200 kW CW gyrotron with a pure output mode. K. Felch, R. Bier, L. Fox, H. Huey, L. Ives, H. Jory, N. Lopez, J. Manca, J. Shively and S. Spang	815
The problems of increase in power, efficiency and frequency of gyrotrons for plasma investigations. A. Sh. Fix, V. A. Flyagin, A. L. Goldenberg, V. I. Khizhnyak, S. A. Malygin, Sh. E. Tsimring and V. E. Zapevalov	821
An analytical theory for comparing the efficiency of gyrotrons with various electrodynamic systems. A. G. Luchinin and G. S. Nusinovich	827
High efficiency operation of a 140 GHz pulsed gyrotron. K. E. Kreischer, J. B. Schutkeker, B. G. Danly, W. J. Mulligan and R. J. Temkin	835
Frequency pulling and bandwidth measurements of a 140 GHz pulsed gyrotron. K. E. Kreischer, B. G. Danly, P. Woskoboinikow, W. J. Mulligan and R. J. Temkin	851
A tunable millimetre-submillimetre gyrotron. G. F. Brand, Z. Chen, N. G. Douglas, M. Gross, J. Y. L. Ma and L. C. Robinson	863
A non-linear theory for gyro-devices. G. E. THOMAS	871
A method for the synthesis of microwave open resonators. An-shi Xu, Le-zhu Zhou and Cheng-he Xu	887
The power transfer and frequency detuning in a gyrotron. R. M. Jones and M. W. Alcock	901
Some observations on gyrotron interaction models. P. A. LINDSAY, R. M. JONES and R. J. LUMSDEN	915
Some thoughts on phase-space representations in gyrotron theory. R. J. LUMSDEN and P. A. LINDSAY	953
Experimental study of a single-mode quasi-optical gyrotron. T. A. Hargreaves, K. J. Kim, J. H. McAdoo, S. Y. Park, R. D. Seeley and M. E. Read	977
Open resonator for quasi-optical gyrotrons: structure of the modes and their influence. A. Perrenoud, T. M. Tran, M. Q. Tran, C. Rieder, M. Schleipen and A. Bondeson.	985
Gyrotron with quasi-optical cavity of special configuration. YANG ZHONGHAI and LIU SHENGGANG	1003
Gyrotron with multi-mirror quasi-optical cavity. Xu Kongyi and Liu Shenggang	1019
Harmonic emission from high-power high-frequency gyrotrons. J. L. Byerly, B. G. Danly, K. E. Kreischer, R. J. Temkin, W. J. Mulligan and P. Woskoboinikow	1033
An experimental 75 GHz gyrotron. Mo Yuanlong, Guo Xingui, Lang Dunyu, Sun Jiahong, Li Jiayin and Liu Shenggang	1049
Non-linear analysis of a high-harmonic rectangular gyrotron. C. C. HAN and A. M. FERENDECI	1055
Quasi-optical gyro-peniotron at high cyclotron harmonics. Le-zhu Zhou, Man-ying Jiang, He-zhong Guo and Yue-wang He	1065

Gyrotron and peniotron modes in rotating-beam devices. U. A.	
SHRIVASTAVA and R. W. GROW	1077
Doppler shift dominated cyclotron masers. A. T. Lin	1097
A linear theory and design study for a gyrotron backward-wave oscillator.  S. Y. PARK, V. L. GRANATSTEIN and R. K. PARKER	1109
Gyrotron and ubitron research at the Naval Research Laboratory. H. P. FREUND, A. K. GANGULY, R. K. PARKER, N. R. VANDERPLAATS, S. AHN, S. Y. PARK, B. ARFIN, W. M. BOLLEN and R. H. JACKSON	1125
Pulsed electron cyclotron maser experiments. A. D. R. Phelps, T. Garvey and A. S. Hasaani	1141
A high-harmonic gyro-klystron amplifier: theory and experiment. D. S. Furuno, D. B. McDermott, N. C. Luhmann, Jr. and P. Vitello	1151
Analysis of a low magnetic field $TE_{m11}$ gyroklystron amplifier. P. VITELLO.	1167
Theoretical analysis of gyrotron amplifier with undulated wave-guide. Xu Cheng-he and Li Zhang	1175
Double-stream electron cyclotron maser. Wang Chunyi and Liu Shenggang	1191
Measurement of transverse velocity in electron beams emitted from axisymmetric electrode systems. J. A. C. Stenton and C. J. Edgcombe	1205
Mode converters from $TE_{0m}^{\circ}$ to $TE_{m0}^{\square}$ for high-power applications in the frequency range 1 to 30 GHz. G. Janzen	1219
High-power millimetre-wave mode converters in overmoded circular waveguides using periodic wall perturbations. M. Thumm	1225
Subject index	1251
Author index	1255

